



**TOBB**  
**TÜRKİYE**  
**ODALAR VE BORSALAR**  
**BİRLİĞİ**

TÜM ODALARA  
(Genel Sekreterlik)

Tarih : 23.02.2021  
Sayı : 34221550-100- 1830  
Konu : Ekonomik Tarife Sorunları Grubu (ETSG)  
Sektör Duyurusu

İlgi : Ticaret Bakanlığı'ndan alınan 16.02.2021 tarihli elektronik posta.

Ticaret Bakanlığı'ndan alınan ilgide kayıtlı elektronik postada, sanayicimizin ihtiyaç duyduğu hammadde ve yarı mamul niteliğindeki sanayi ürünlerine ilişkin her yıl 1 Ocak ve 1 Temmuz tarihlerinde yürürlüğe girecek şekilde üretimi olmayan ürünlerde askıya alma, üretimi tüketimi karşılamayan ürünlerde ise tarife kontenjani başvurularının, ülkemizin temsilcilerinin de yer aldığı bir toplantıda Avrupa Komisyonu tarafından müzakere edilerek karara bağlandığı belirtilmiştir.

Elektronik postada, Ek'de bir örneği sunulan ve halihazırda gümrük vergisi askıya alınmış olan eşya listesi paylaşılmıştır. Ayrıca, Avrupa Birliği ithalat değerinin 15.000 avro'nun altına düştüğü için Komisyon tarafından 2022 Ocak döneminde listeden çıkartılması öngörülen ve listede kırmızı ile renklendirilen eşyaya yönelik olarak, 2022 yılından sonra da askıya alma uygulamasının devam etmesinin talep edilmesi durumunda, ilgili firmaların en geç **01/03/2021 tarihine kadar** Ticaret Bakanlığına temdit (uzatma) başvurusunda bulunması gerektiği açıklanmıştır.

Elektronik postada devamla, konu hakkında bilgi, tarih ve formlara <https://www.ticaret.gov.tr/ithalat/askiya-alma-ve-tarife-kontenjani/askiya-alma-sistemi> adresinden ulaşılabildiği ve askıya alma sistemine ilişkin detaylı bilgi için ise 2021/18 sayılı Askıya Alma Sistemine İlişkin Tebliğin (İthalat: 2021/18) incelenebileceği vurgulanmıştır.

Konu hakkında ilgili kişilerin iletişim bilgileri aşağıdaki gibidir:

**Kimyasallar, Maden-Metal ve Tekstil Hammaddeleri:**

Muhammet HARTAVİ	Uzman	T: 0 312 204 95 84	E: hartavim@ticaret.gov.tr
Burak AVCI	Uzman	T: 0 312 204 91 89	E: avcib@ticaret.gov.tr

**Elektrik-Elektronik, Otomotiv ve Makine Ara Malları:**

Fundagül BACI	Uzman	T: 0 312 204 91 46	E: bacif@ticaret.gov.tr
Fatma Hilal YÜNEY	Mühendis	T: 0 312 204 92 96	E: yuneyf@ticaret.gov.tr

**Bu belge, 5070 sayılı Elektronik İmza Kanununa göre Güvenli Elektronik İmza ile imzalanmıştır.**



Evrakı Doğrulamak İçin : <http://belgedogrula.tobb.org.tr/dogrula.aspx?V=BENN3KCMT>

Dumlupınar Bulvarı No:252 (Eskişehir Yolu 9. Km.) 06530 /ANKARA

Tel: +90 (312) 218 20 00 (PBX) • Faks: +90 (312) 219 40 90 - 91 - 92

E-Posta: [info@tobb.org.tr](mailto:info@tobb.org.tr) • Web: [www.tobb.org.tr](http://www.tobb.org.tr) • KEP: [tobb@hs02.kep.tr](mailto:tobb@hs02.kep.tr)

Ayrıntılı bilgi için: Kubilay ŞİMŞEK Tel: 0312 218 22 34

E-Posta: [kubilay.simsek@tobb.org.tr](mailto:kubilay.simsek@tobb.org.tr)

Birliğimizde  
ISO 9001:2015  
Kalite Yönetim  
Sistemi  
uygulanmaktadır



Bilgilerini ve Odanız üyesi ilgili firmalara duyuru yapılmasını önemle rica ederim.

Saygılarımla,

*e-imza*

Mustafa SARAÇÖZ  
Genel Sekreter

Not: Yazı eki ayrıca Odanızın elektronik posta adresine gönderilecektir.

EK:Eşya listesi



**Evrakı Doğrulamak İçin :** <http://belgedogrula.tobb.org.tr/dogrula.aspx?V=BENN3KCMT>

Dumlupınar Bulvarı No:252 (Eskişehir Yolu 9. Km.) 06530 /ANKARA

**Tel:** +90 (312) 218 20 00 (PBX) • **Faks:** +90 (312) 219 40 90 - 91 - 92

**E-Posta:** [info@tobb.org.tr](mailto:info@tobb.org.tr) • **Web:** [www.tobb.org.tr](http://www.tobb.org.tr) • **KEP:** [tobb@hs02.kep.tr](mailto:tobb@hs02.kep.tr)

**Ayrıntılı bilgi için:** Kubilay ŞİMŞEK **Tel:** 0312 218 22 34

**E-Posta:** [kubilay.simsek@tobb.org.tr](mailto:kubilay.simsek@tobb.org.tr)

Birliğimizde  
ISO 9001:2015  
Kalite Yönetim  
Sistemi  
uygulanmaktadır

**Prolongation exercise 2022**

It is necessary to amend the end date for the mandatory review for certain amount of products currently listed in the Annex to Regulation (EU) No 1387/2013 in order to allow duty-free imports beyond 31.12.2021.  
The autonomous Common Customs Tariff duty suspensions for those products have been reviewed and new revised dates should be set for their next mandatory review

Please find attached an excel table listing suspension measures subject to the prolongation exercise for cycle 2022-01.

We note the following:

The items indicated by string “**≥15000/green**” in column “Status” will be prolonged automatically until 31.12.2026 except in cases where: the negotiations for the cycle 2021-07 led to another conclusion, or possible economic objections submitted within the upcoming cycle 2022-01

In addition, pending on the opinion of DG AGRI, within the deadline of 26<sup>th</sup> of April 2021, certain suspension measures (e.g. Palm oil) can be prolonged for one or more years,

The cases marked as being “**<15000/red**” will expire by the end of 2021, unless a request for prolongation will be issued (pursuant to Commission communication OJ C 363, 13.12.2011, p. 6.) in due time by Member State authorities acting on behalf of EU producers. In such a case one year prolongation (until the end of 2022) will be considered,

The cases marked with “**UK susp. deletion or EU27 producer**” indicate suspensions where UK was the only applicant, but the suspension was used sufficiently by EU27. The suspension will be deleted by the end of 2021, unless a request for prolongation will be issued (pursuant to Commission communication OJ C 363, 13.12.2011, p. 6.) in due time by Member State authorities acting on behalf of EU producers.

In the absence of any comments by your side until the 26<sup>th</sup> of April 2021 the aforementioned procedure is deemed to be agreed.

Reference mail	TARIC code(s)	Product description	Status	Proficient user (UK susp)
1617/4/1989, 942/06, 943/06	0711590011	#Mushrooms, excluding mushrooms of the genera Agaricus, Calocybe, Clitocybe, Lepista, Leucoagaricus, Leucopaxillus, Lyophyllum and Tricholoma, provisionally preserved in brine, in sulphur water, or in other preservative solutions, but unsuitable in that state for immediate consumption, for the food-canning industry#	≥15000/green	
1/1/1999	1511901920, 1511909120, 1513111020, 1513111020	#Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of:### # industrial monocarboxylic fatty acids of subheading 3823 19 10, # methyl esters of fatty acids of heading 2915 or 2916, # fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, # fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, # stearic acid of subheading 3823 11 00, # goods of heading 3401, or # fatty acids with high purity of heading 2915 #	≥15000/green	
833/06	1517909910	#Vegetable oil, refined, containing by weight 25 % or more but not more than 50 % arachidonic acid or 12 % or more but not more than 65 % docosahexaenoic acid and standardized with high oleic sunflower oil (HOSO)#	≥15000/green	
974/06	2009897920	#Frozen boysenberry juice concentrate with a Brix value of 61 or more, but not more than 67, in immediate packings of a content of 50 litres or more#	<15000/red	
265298/2011	2009897985	#Acai berry juice concentrate:### # of the species Euterpe oleracea, # frozen, # not sweetened, # not in powder form, # of a Brix value of 23 or more but not more than 32, # ###in immediate packings of a content of 10 kg or more#	≥15000/green	
948/06	2009899996	#Coconut water### # unfermented, # not containing added spirit or sugar, and # in immediate packing of a content of 20 litres or more #	≥15000/green	
295926/2011	2106909245	#Preparation containing by weight:### # more than 30 % but not more than 35 % liquorice extract, # more than 65 % but not more than 70 % tricaprilyn, # ###standardised by weight to 3 % or more but not more than 4 % glabridin#	<15000/red	
254871/2011	2519901010	#Fused magnesia with a purity by weight of 94 % or more#	≥15000/green	
1003637/2011	2811198020	#Hydrogen iodide (CAS RN 10034-85-2)#	UK susp. deletion or EU27 producer	DE
1010686/2011	2819909010	#Dichromium trioxide (CAS RN 1308-38-9) for use in metallurgy#	≥15000/green	
0218/00/1998	2825300000	#Vanadium oxides and hydroxides#	≥15000/green	
1242450/2016	2825700010	#Molybdenum trioxide (CAS RN 1313-27-5)#	≥15000/green	
5559884/2016	2825700020	#Molybdic Acid (CAS RN 7782-91-4)#	≥15000/green	
3436/06	2827398520	#Antimony pentachloride (CAS RN 7647-18-9) of a purity by weight of 99 % or more#	≥15000/green	
631004/2010	2833298030	#Zirconium sulphate (CAS RN 14644-61-2)#	UK susp. deletion or EU27 producer	IT, NL
829/06	2837200010	#Tetrasodium hexacyanoferrate (II) (CAS RN 13601-19-9)#	≥15000/green	
1242523/2016	2841700040	#Diammonium dimolybdate (CAS RN 27546-07-2)#	≥15000/green	
1345815/2016	2842100040	#Aluminosilicate (CAS RN 1318-02-1) with a zeolite structure of Aluminophosphate-eighteen (AEI) for use in the manufacture of catalytic preparations#	UK susp. deletion or EU27 producer	NL
3427/06	2845909010	#Helium-3 (CAS RN 14762-55-1)#	≥15000/green	
3426/06	2845909030	#13 C Carbon monoxide (CAS RN 1641-69-6)#	≥15000/green	
964050/2011	2850002040	#Germanium tetrahydride (CAS RN 7782-65-2)#	≥15000/green	
978318/2011	2903393910	#Perfluoro(4-methyl-2-pentene) (CAS RN 84650-68-0)#	<15000/red	
808/06	2903393930	#Hexafluoropropene (CAS RN 116-15-4)#	UK susp. deletion or EU27 producer	DE, FR, IT
219178/2011	2903779010	#Chlorotrifluoroethylene (CAS RN 79-38-9)#	≥15000/green	
1338499/2016	2905110020, 2905190035	#Methyl methanesulphonate (CAS RN 66-27-3)#	<15000/red	
5450710/2016	2905220020	#3,7-Dimethyloct-6-en-1-ol (CAS RN 106-22-9)#	≥15000/green	
265404/2011	2905399530	#2,4,7,9-Tetramethyl-4,7-decanediol (CAS RN 17913-76-7)#	≥15000/green	
237127/2011	2907159010	#2-Naphthol (CAS RN 135-19-3)#	≥15000/green	
1003563/2011	2907290045	#2-Methylhydroquinone (CAS RN 95-71-6)#	UK susp. deletion or EU27 producer	BE, IT
878/06	2909199050	#3-Ethoxy-perfluoro-2-methylhexane (CAS RN 297730-93-9)#	≥15000/green	
1004860/2011	2909200010	#8-Methoxycedrane (CAS RN 19870-74-7)#	UK susp. deletion or EU27 producer	DE, ES, FR, NL
960804/2011	2909303820	#1,1'-Propane-2,2-diybis[3,5-dibromo-4-(2,3-dibromopropoxy)benzene] (CAS RN 21850-44-2)#	≥15000/green	
5531326/2016	2909309015	#[(2,2-dimethylbut-3-yn-1-yl)oxy]methyl]benzene (CAS RN 1092536-54-3)#####	≥15000/green	
5450733/2016	2909309025	#1,2-Diphenoxyethane (CAS RN 104-66-5) in the form of powder or as an aqueous dispersion containing by weight 30 % or more but not more than 60 % of 1,2-diphenoxyethane#	≥15000/green	
1248461/2016	2909309070	#O,O,O'-1,3,5-trimethylresorcinol (CAS RN 621-23-8)#	≥15000/green	
1338664/2016	2909309080	#Oxyfluorfen (ISO) (CAS RN 42874-03-3) with a purity by weight of 97 % or more#	UK susp. deletion or EU27 producer	ES, PT, FR
3944796/2015	2909498010	#1-Propoxypropan-2-ol (CAS RN 1569-01-3)#	UK susp. deletion or EU27 producer	NL, BE
1145/2007	2910900080	#Allyl glycidyl ether (CAS RN 106-92-3)#	≥15000/green	
5450756/2016	2912190010	#Undecanal (CAS RN 112-44-7)#	≥15000/green	
1174482/2016	2912290015	#2,6,6-Trimethylcyclohexanecarbaldehyde (alpha-beta isomers mixture) (CAS RN 52844-21-0)#	≥15000/green	
1174458/2016	2912290025	#Mixture of isomers consisting of:### # 85 (± 10) % by weight of 4-isobutyl-2-methylbenzaldehyde (CAS RN 73206-60-7) # 15 (± 10) % by weight of 2-isobutyl-4-methylbenzaldehyde (CAS RN 68102-28-3) #	<15000/red	
1008909/2011	2914290050	# trans -β-Damascone (CAS RN 23726-91-2)#	UK susp. deletion or EU27 producer	DE, ES, FR, NL
1003548/2011	2914500040	#4-(4-Hydroxyphenyl)butan-2-one (CAS RN 5471-51-2)#	UK susp. deletion or EU27 producer	DE, ES, FR, NL
1338600/2016	2914500085	#4,4'-Dihydroxybenzophenone (CAS RN 611-99-4)#	<15000/red	
1003573/2011	2914698040	#p -Benzoquinone (CAS RN 106-51-4)#	UK susp. deletion or EU27 producer	BE, DE, IT
124160/2010	2914790060	#4'-tert -Butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (CAS RN 81-14-1)#	UK susp. deletion or EU27 producer	DE, ES, NL
1338555/2016	2914790065	#1,4-bis(4-Fluorobenzoyl) Benzene (CAS RN 68418-51-9)#	<15000/red	
249160/2011	2914790070	#4-Chloro-4'-hydroxybenzophenone (CAS RN 42019-78-3)#	≥15000/green	
1338756/2016	2914790075	#4,4'-Difluorobenzophenone (CAS RN 345-92-6)#	<15000/red	
5651680/2016	2915120010	#Aqueous solution containing by weight 60 % or more but not more than 84 % of caesium formate (CAS RN 3495-36-1)#	<15000/red	
314777/2011	2915390075	#Isobornyl acetate (CAS RN 125-12-2)#	UK susp. deletion or EU27 producer	DE, ES, FR, NL
330666/2011	2915390080	#1-Phenylethyl acetate (CAS RN 93-92-5)#	UK susp. deletion or EU27 producer	DE, ES, FR, NL
238300/2011	2915907080	#Ethyl difluoroacetate (CAS RN 454-31-9)#	<15000/red	
1279605/2016	2916200015	#Transfluthrin (ISO) (CAS RN 118712-89-3)#	≥15000/green	
1003616/2011	2916310010	#Benzyl benzoate (CAS RN 120-51-4)#	UK susp. deletion or EU27 producer	DE, ES, NL
225249/2011	2916399015	#2-Chloro-5-nitrobenzoic acid (CAS RN 2516-96-3)#	≥15000/green	
117276/2010	2916399025	#2-Methyl-3-(4-Fluorophenyl)propionyl chloride (CAS RN 1017183-70-8)#	≥15000/green	
5552271/2016	2916399033	#Methyl 4'-(bromomethyl)biphenyl-2-carboxylate (CAS RN 114772-38-2)#	<15000/red	
5450776/2016	2916399073	#[2,4-Dichlorophenyl]acetyl chloride (CAS RN 53056-20-5)#	≥15000/green	
241178/2011	2918290060	#Methyl-, ethyl-, propyl- or butyl esters of 4-hydroxybenzoic acid or their sodium salts (CAS RN 35285-68-8, 99-76-3, 5026-62-0, 94-26-8, 94-13-3, 35285-69-9, 120-47-8, 36457-20-2 or 4247-02-3)#	≥15000/green	
1336330/2016	2918300080	#Methyl benzoylformate (CAS RN 15206-55-0)#	≥15000/green	
1242672/2016	2918999023	#1,8-Dihydroxyanthraquinone-3-carboxylic acid (CAS RN 478-43-3)#	<15000/red	
964063/2011	2918999080	#Sodium 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate (CAS RN 62476-59-9)#	<15000/red	
964084/2011	2919900050	#Triethyl phosphate (CAS RN 78-40-0)#	≥15000/green	
971/06	2920240000	#Triethyl phosphite (CAS RN 122-52-1)#	UK susp. deletion or EU27 producer	DE, FR, IT
1279693/2016	2920290060	#Fosetyl-sodium (CAS RN 39148-16-8) in form of an aqueous solution with a content by weight of fosetyl-sodium of 35 % or more but not more than 45 % for use in the manufacture of pesticides#	<15000/red	
1362862/2016	2920901080	#Sodium 2-[2-(2-tridexoxyethoxy)ethoxy]ethyl sulphate (CAS RN 25446-78-0) in the form of a liquid paste with a content by weight in water of 62 % or more but not more than 65 %#	<15000/red	
1362726/2016	2921199945	#2-Chloro- N -(2-chloroethyl)ethanamine hydrochloride (CAS RN 821-48-7)#	≥15000/green	

265433/2011	2921290050	# N'-[3-(Dimethylamino)propyl]-N,N-dimethylpropane-1,3-diamine (CAS RN 6711-48-4)#	≥15000/green	
169088/2010	2921309930	#1,3-Cyclohexanedimethanamine (CAS RN 2579-20-6)#	<15000/red	DE, NL
3432/06	2921511940	# p-Phenylenediamine (CAS RN 106-50-3)#	≥15000/green	
5531479/2016	2922190040	#(R)-1-(4-amino-2-bromo-5-fluorophenylamino)-3-(benzyloxy)propan-2-ol 4-methylbenzenesulphonate (CAS RN 1294504-64-5)#	≥15000/green	
1279635/2016	2922290073	#Tris(4-aminophenyl) thiophosphate (CAS RN 52664-35-4)#	≥15000/green	
3962007/2015	2922498530	#Aqueous solution containing 40 % by weight or more of sodium methylaminoacetate (CAS RN 4316-73-8)#	UK susp., deletion or EU27 producer	DE
1174545/2016	2922498535	#2-(3-Amino-4-chloro-benzoyl) benzoic acid (CAS RN 118-04-7)#	<15000/red	
1275028/2016	2922500010	#2-(2-Aminoethoxy)ethoxyacetic acid hydrochloride (CAS RN 134979-01-4)#	≥15000/green	
1338852/2016	2923900055	#Tetrabutylammonium bromide (CAS RN 1643-19-2)#	UK susp., deletion or EU27 producer	DE, FR, NL
1249517/2016	2924190045	#3-Chloro-N-methoxy-N-methylpropanamide (CAS RN 1062512-53-1)#	<15000/red	
1336385/2016	2924190055	#2-Propynyl butylcarbamate (CAS RN 76114-73-3)#	≥15000/green	
975/06	2924190060	#N,N-Dimethylacrylamide (CAS RN 2680-03-7)#	≥15000/green	
241889/2011	2924297027	#2-Bromo-4-fluoroacetanilide (CAS RN 1009-22-9)#	<15000/red	
5450799/2016	2924297030	#Sodium 4-(4-methyl-3-nitrobenzoylamino)benzenesulphonate (CAS RN 84029-45-8)#	≥15000/green	
5227004/2016	2924297050	#N-Benzoyloxycarbonyl-L-tert-leucine isopropylamine salt (CAS RN 1621085-33-3)#	<15000/red	
1008923/2011	2924297063	#N-Ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide (CAS RN 39711-79-0) #	UK susp., deletion or EU27 producer	DE, IT, NL
243647/2011	2926907025	#2,2-Dibromo-3-nitropropionamide (CAS RN 10222-01-2)#	≥15000/green	
5572875/2016	2926907030	#4,5-Dichloro-3,6-dioxocyclohexa-1,4-diene-1,2-dicarbonitrile (CAS RN 84-58-2)#	≥15000/green	
1279741/2016	2926907035	#4-Cyano-2-methoxybenzaldehyde (CAS RN 21962-45-8)#	≥15000/green	
1174566/2016	2926907040	#2-(4-Cyanophenylamino)acetic acid (CAS RN 42288-26-6)#	<15000/red	
3434/06	2926907061	#m-(1-Cyanoethyl)benzoic acid (CAS RN 5537-71-3)#	≥15000/green	
1242892/2016	2928009028	#Pentan-2-one oxime (CAS RN 623-40-5)#	≥15000/green	
1003526/2011	2928009030	#N-Isopropylhydroxylamine (CAS RN 5080-22-8)#	UK susp., deletion or EU27 producer	DE, NL
243676/2011	2928009075	#Metaflumizone (ISO) (CAS RN 139968-49-3) #	≥15000/green	
300417/2011	2928009085	#Daminozide (ISO) with a purity by weight of 99 % or more (CAS RN 1596-84-5)#	UK susp., deletion or EU27 producer	DE, NL
303483/2011	2930200020	#2-Isopropylethylthiocarbamate (CAS RN 141-98-0)#	UK susp., deletion or EU27 producer	DK, NL
1008893/2011	2930909813	#Mercaptamine hydrochloride (CAS RN 156-57-0) #	UK susp., deletion or EU27 producer	ES, IT
314804/2011	2930909821	#[2,2'-Thio-bis(4-tert-octylphenolato)]-n-butylamine nickel (CAS RN 14516-71-3)#	UK susp., deletion or EU27 producer	ES, GR, IT, NL
	2930909835	#Glutathione (CAS RN 70-18-8)#	≥15000/green	
3429/06	2930909878	#4-Mercaptomethyl-3,6-dithia-1,8-octanedithiol (CAS RN 131538-00-6)#	≥15000/green	
1279784/2016	2930909885	#2-Methyl-1-(methylthio)-2-propanamine (CAS RN 36567-04-1)#	<15000/red	
887/06	2930909889	#Potassium- or sodium-salt of O-ethyl-, O-isopropyl-, O-butyl-, O-isobutyl- or O-pentyl-dithiocarbonates#	≥15000/green	
1362812/2016	2930909893	#1-Hydrzino-3-(methylthio)propan-2-ol (CAS RN 14359-97-8)#	≥15000/green	
1362547/2016	2930909895	#N-(cyclohexylthio)phthalimide (CAS RN 17796-82-6)#	≥15000/green	
1338796/2016	2930909897	#Diphenyl sulphone (CAS RN 127-63-9)#	UK susp., deletion or EU27 producer	ES, NL
968701/2011	2931399013	#Triethylphosphine oxide (CAS RN 78-50-2)#	≥15000/green	
243702/2011	2931399040	#Tetrakis(hydroxymethyl)phosphonium chloride (CAS RN 124-64-1)#	≥15000/green	
855/06, 879/06	2931900050	#Trimethylsilane (CAS RN 993-07-7) #	≥15000/green	
3939533/2015	2931900063	#Chloroethyldimethylsilane (CAS RN 1719-58-0)#	UK susp., deletion or EU27 producer	DE, NL
3962068/2015	2931900065	#Bis(4-tert-butylphenyl)iodonium hexafluorophosphate (CAS RN 61358-25-6)#	UK susp., deletion or EU27 producer	BE, NL
249212/2011	2932190080	#5-Nitrofururylidene diacetate (CAS RN 92-55-7) #	≥15000/green	
265449/2011	2932209015	#Coumarin (CAS RN 91-64-5) #	≥15000/green	
977/06	2932209060	#6'-(Diethylamino)-3'-methyl-2'-(phenylamino)-spiro[sobenzofuran-1(3H),9'-[9H]xanthen]-3-one (CAS RN 29512-49-0) #	≥15000/green	
976/06	2932209071	#6'-(Dibutylamino)-3'-methyl-2'-(phenylamino)-spiro[sobenzofuran-1(3H),9'-[9H]xanthen]-3-one (CAS RN 89331-94-2) #	≥15000/green	
5572888/2016	2932990013	#(4-Chloro-3-(4-ethoxybenzyl)phenyl)((3aS,5R,6S,6aS)-6-hydroxy 2,2-dimethyltetrahydrofuro[2,3-d][1,3]dioxol-5-yl)methanone (CAS RN 1103738-30-2) #	≥15000/green	
300480/2011	2932990015	#1,3,4,6,7,8-Hexahydro-4,6,6',7,8,8'-hexamethylindeno[5,6-c]pyran (CAS RN 1222-05-5) #	UK susp., deletion or EU27 producer	DE, ES, FR, IT, NL
5531421/2016	2932990018	#4-(4-Bromo-3-((tetrahydro-2H-pyran-2-yloxy)methyl)phenoxy)benzotrile (CAS RN 943311-78-2) #	≥15000/green	
1008940/2011	2932990020	#Ethyl-2-methyl-1,3-dioxolane-2-acetate (CAS RN 6413-10-1) #	<15000/red	
168692/2010	2932990050	#7-Methyl-3,4-dihydro-2 H -1,5-benzodioxepin-3-one (CAS RN 28940-11-6) #	UK susp., deletion or EU27 producer	DE, ES, FR, IT, NL
904/06	2932990070	#1,3:2,4-bis-O-Benzylidene-D-glucitol (CAS RN 32647-67-9) #	<15000/red	
806/06	2932990075	#(3-(3,4-Methylenedioxyphenyl)-2-methylpropanal (CAS RN 1205-17-0) #	UK susp., deletion or EU27 producer	DE, ES, NL, FR
5450826/2016	2933199045	#5-Amino-1-(2,6-dichloro-4-(trifluoromethyl)phenyl)-1H-pyrazole-3-carbonitrile (CAS RN 120068-79-3) #	≥15000/green	
5552079/2016	2933199055	#5-Methyl-1-(naphthalen-2-yl)-1,2-dihydro-3H-pyrazol-3-one (CAS RN 1192140-15-0) #	<15000/red	
837/06	2933210050	#1-Bromo-3-chloro-5,5-dimethylhydantoin (CAS RN 16079-88-2) / (CAS RN 32718-18-6) #	≥15000/green	
846/06	2933210060	#DL-p-Hydroxyphenylhydantoin (CAS RN 2420-17-9) #	≥15000/green	
225267/2011	2933299060	#1-Cyano-2-methyl-1-[2-(5-methylimidazol-4-ylmethylthio)ethyl]isothiourea (CAS RN 52378-40-2) #	≥15000/green	
5450845/2016	2933299075	#2,2'-Azobis[2-(2-imidazolyl-2-yl)propane] dihydrochloride (CAS RN 27776-21-2) #	≥15000/green	
5552224/2016	2933399910	#2-Aminoipyridin-4-ol hydrochloride (CAS RN 1187932-09-7) #	≥15000/green	
239432/2009	2933399920	#Copper pyrrithione powder (CAS RN 14915-37-8) #	UK susp., deletion or EU27 producer	BE
1338889/2016	2933399927	#Pyridine-2,6-dicarboxylic acid (CAS RN 499-83-2) #	UK susp., deletion or EU27 producer	BE, DE, NL
1150602/2016	2933399929	#3,5-Dichloro-2-cyanopyridine (CAS RN 85331-33-5) #	<15000/red	
250727/2011	2933399932	#(Chloromethyl)-3,4-dimethoxypyridine hydrochloride (CAS RN 72830-09-2) #	≥15000/green	
5552032/2016	2933399933	#5-(3-chlorophenyl)-3-methoxypyridine-2-carbonitrile (CAS RN 1415226-39-9) #	≥15000/green	
243719/2011	2933399937	#Aqueous solution of pyridine-2-thiol-1-oxide, sodium salt (CAS RN 3811-73-2) #	≥15000/green	
5552155/2016	2933399941	#2-chloro-6-(3-fluoro-5-isobutoxyphenyl)nicotinic acid (CAS RN 1897387-01-7) #	<15000/red	
5450881/2016	2933399946	#Fluopicolide (ISO) (CAS RN 239110-15-7) with a content by weight of 97 % or more #	≥15000/green	
229742/2009	2933399947	#(-)-trans-4-(4'-Fluorophenyl)-3-hydroxymethyl-N-methylpiperidine (CAS RN 105812-81-5) #	≥15000/green	
964100/2011	2933399970	#2,3-Dichloro-5-trifluoromethylpyridine (CAS RN 69045-84-7) #	≥15000/green	
979935/2011	2933399972	#5,6-Dimethoxy-2-[(4-piperidinyl)methyl]indan-1-one (CAS RN 120014-30-4) #	<15000/red	
1345853/2016	2933499025	#Cloquintocet-mexyl (ISO) (CAS RN 99607-70-2) #	UK susp., deletion or EU27 producer	DE, DK, FR, HU, IT
852/06	2933520010	#Malonylurea (barbituric acid) (CAS RN 67-52-7) #	≥15000/green	
1362772/2016	2933599587	#5-Bromo-2,4-dichloropyrimidine (CAS RN 36082-50-5) #	≥15000/green	
1242965/2016	2933599589	#6-Benzyladenine (CAS RN 1214-39-7) #	≥15000/green	
3959671/2015	2933698017	#Benzoguanamine (CAS RN 91-76-9) #	UK susp., deletion or EU27 producer	DE, IT, NL, SL
300539/2011	2933698040	#Troloxene sodium (INN) (CAS RN 2893-78-9) #	UK susp., deletion or EU27 producer	ES, FR, IT, PT, NL, CZ
1099897/2016	2933790015	#Ethyl N-(tert-Butyloxycarbonyl)-L-pyrroglutamate (CAS RN 144978-12-1) #	≥15000/green	
250789/2011	2933998013	#5-Difluoromethoxy-2-mercapto-1-H-benzimidazole (CAS RN 97963-62-7) #	≥15000/green	
1279891/2016	2933998034	#2,4-Dihydro-5-methoxy-4-methyl-3 H -1,2,4-triazol-3-on (CAS RN 135302-13-5) #	≥15000/green	
1092596/2016	2933998036	#3-Chloro-2-(1,1-difluoro-3-buten-1-yl)-6-methoxyquinoxaline (CAS RN 1799733-46-2) #	<15000/red	
1279983/2016	2933998038	#(4a S, 7a S)-Octahydro-1-H-pyrrolo[3,4-b]pyridine (CAS RN 151213-40-0) #	≥15000/green	
1099939/2016	2933998039	#O-(benzotriazol-1-yl)-N,N,N',N'-tetramethyluronium tetrafluoroborate (CAS RN 125700-67-6) #	<15000/red	
5552188/2016	2933998042	#(S)-2,2,4-Trimethylpyrrolidine hydrochloride (CAS RN 1897428-40-8) #	≥15000/green	
5531366/2016	2933998044	#(2S,3S,4R)-Methyl 3-ethyl-4-hydroxypyrrolidine-2-carboxylate 4-methylbenzenesulphonate (CAS RN 1799733-43-9) #	<15000/red	
1242932/2016	2933998051	#Diquat dibromide (ISO) (CAS RN 85-00-7) in aqueous solution for use in the manufacture of herbicides#	<15000/red	
979311/2011	2933998067	#Candesartan ethyl ester (INN) (CAS RN 139481-58-6) #	≥15000/green	
979/06	2933998081	#1,2,3-Benzotriazole (CAS RN 95-14-7) #	≥15000/green	
246345/2011	2934100080	#3,4-Dichloro-5-carboxisothiazole (CAS RN 18480-53-0) #	≥15000/green	
255830/2011	2934208030	#2-[[[1-(1-(2-Amino-4-thiazolyl)-2-(2-benzothiazolylthio)-2-oxoethylideneamino]oxy]acetic acid, methyl ester (CAS RN 246035-38-1) #	<15000/red	
295939/2011	2934999023	#Bromuconazole (ISO) with a purity by weight of 96 % or more (CAS RN 116255-48-2) #	≥15000/green	
250760/2011	2934999028	#11-(Piperazin-1-yl)diethylbenzofur[1,4]thiazepine dihydrochloride (CAS RN 111974-74-4) #	≥15000/green	

5501233/2016	2934999046	#4-Methoxy-5-(3-morpholin-4-yl-propoxy)-2-nitro-benzonitrile (CAS RN 675126-26-8)#	<15000/red	
5450922/2016	2934999047	#Thiazurone (ISO) (CAS RN 51707-55-2) with a content by weight of 98 % or more#	<15000/red	
981838/2011	2934999048	#Propan-2-ol -- 2-methyl-4-(4-methylpiperazin-1-yl)-10 H -thieno[2,3-b][1,5]benzodiazepine (1:2) dihydrate (CAS RN 864743-41-9)#	≥15000/green	
5552312/2016	2934999049	#Cytidine 5'-(disodium phosphate) (CAS RN 6757-06-8)#	≥15000/green	
5501295/2016	2934999053	#4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzonitrile (CAS RN 675126-28-0)#	<15000/red	
809/06	2934999075	#4 R-cis -1,1-Dimethylethyl-6-[2-(4-fluorophenyl)-5-(1-isopropyl)-3-phenyl-4-[(phenylamino)carbonyl]-1 H -pyrrol-1-yl]ethyl]-2,2-dimethyl-1,3-dioxane-4-acetate (CAS RN 125971-95-1)#	≥15000/green	
821/06	2934999076, 3204200010	#2,5-Thiophenediylbis(5-tert-butyl-1,3-benzoxazole) (CAS RN 7128-64-5)#	≥15000/green	
249194/2011	2935909023	#N-[4-(2-Chloroacetyl)phenyl]methanesulphonamide (CAS RN 64488-52-4)#	≥15000/green	
294290/2011	2935909027	#Methyl (3R,5S,6E)-7-[4-(4-fluorophenyl)-6-isopropyl-2-[methyl(methylsulfonyl)amino]pyrimidin-5-yl]-3,5-dihydroxyhept-6-enoate (CAS RN 147118-40-9) #	≥15000/green	
5552111/2016	2935909030	#6-Aminopyridine-2-sulfonamide (CAS RN 75903-58-1)#	≥15000/green	
981844/2011	2935909048	#(3R,5S,6E)-7-[4-(4-Fluorophenyl)-2-[methyl(methylsulfonyl)amino]-6-(propan-2-yl)pyrimidin-5-yl]-3,5-dihydroxyhept-6-enoic acid -- 1-[(R)-(4-chlorophenyl)(phenyl)methyl]piperazine (1:1) (CAS RN 1235588-99-4) #	≥15000/green	
1099844/2016	2935909067	#N-[2-phenoxyphenyl]methanesulphonamide (CAS RN 51765-51-6)#	<15000/red	
858/06	2935909089	3-(3-Bromo-6-fluoro-2-methylindol-1-ylsulphonyl)-N,N-dimethyl-1,2,4-triazol-1-sulphonamide (CAS RN 348635-87-0)	≥15000/green	
1289865/2016	2940000030	#D(+)-Trehalose dihydrate (CAS RN 6138-23-4)#	≥15000/green	
246354/2011	2941203010	#Dihydrostreptomycin sulphate (CAS RN 5490-27-7)#	≥15000/green	
1242692/2016	2942000010	#Sodium triacetoxylborohydride (CAS RN 56553-60-7)#	≥15000/green	
1001767/2015	3201909040, 3202900010	#Reaction product of Acacia mearsii extract, ammonium chloride and formaldehyde (CAS RN 85029-52-3)#	UK susp._deletion or EU27 producer	IT
631007/2010	3204110020	#Colourant C.I. Disperse Yellow 241 (CAS RN 83249-52-9) and preparations based thereon with a colourant C.I. Disperse Yellow 241 content of 97 % or more by weight#	UK susp._deletion or EU27 producer	BE, IT, NL
247748/2011	3204110040	#Colourant C.I. Disperse Red 60 (CAS RN 17418-58-5) and preparations based thereon with a colourant C.I. Disperse Red 60 content of 50 % or more by weight#	UK susp._deletion or EU27 producer	BE, IT, NL
300340/2011	3204110050	#Colourant C.I. Disperse Blue 72 (CAS RN 81-48-1) and preparations based thereon with a colourant C.I. Disperse Blue 72 content of 95 % or more by weight#	UK susp._deletion or EU27 producer	CZ, IT
247805/2011	3204110060	#Colourant C.I. Disperse Blue 359 (CAS RN 62570-50-7) and preparations based thereon with a colourant C.I. Disperse Blue 359 content of 50 % or more by weight#	UK susp._deletion or EU27 producer	IT
989532/2011	3204120010	#Colourant C.I. Acid Blue 9 (CAS RN 2650-18-2) and preparations based thereon with a colourant C.I. Acid Blue 9 content of 50 % or more by weight#	UK susp._deletion or EU27 producer	PL
1174607/2016	3204120015	#Colourant C.I. Acid Brown 75 (CAS RN 8011-86-7) and preparations based thereon with a colourant C.I. Acid Brown 75 content of 75 % or more by weight#	≥15000/green	
1174679/2016	3204120017	#Colourant C.I. Acid Brown 355 (CAS RN 84989-26-4 or 60181-77-3) and preparations based thereon with a colourant C.I. Acid Brown 355 content of 75 % or more by weight#	≥15000/green	
1275088/2016	3204120025	#Colourant C.I. Acid Black 210 (CAS RN 85223-29-6 or 99576-15-5) and preparations based thereon with a colourant C.I. Acid Black 210 content of 50 % or more by weight#	≥15000/green	
1174713/2016	3204120027	#Colourant C.I. Acid Brown 425 (CAS RN 75234-41-2 or 119509-49-8) and preparations based thereon with a colourant C.I. Acid Brown 425 content of 75 % or more by weight#	≥15000/green	
1150396/2016	3204120035	#Colourant C.I. Acid Black 234 (CAS RN 157577-99-6) and preparations based thereon with a colourant C.I. Acid Black 234 content of 75 % or more by weight#	≥15000/green	
1150455/2016	3204120037	#Colourant C.I. Acid Black 210 sodium salt (CAS RN 201792-73-6) and preparations based thereon with a colourant C.I. Acid Black 210 sodium salt content of 50 % or more by weight#	≥15000/green	
1150528/2016	3204120045	#Colourant C.I. Acid Blue 161/193 (CAS RN 12392-64-2) and preparations based thereon with a colourant C.I. Acid Blue 161/193 content of 75 % or more by weight#	≥15000/green	
1174590/2016	3204120047	#Colourant C.I. Acid Brown 58 (CAS RN 70210-34-3 or 12269-87-3) and preparations based thereon with a colourant C.I. Acid Brown 58 content of 75 % or more by weight#	≥15000/green	
1174621/2016	3204120055	#Colourant C.I. Acid Brown 165 (CAS RN 61724-14-9) and preparations based thereon with a colourant C.I. Acid Brown 165 content of 75 % or more by weight#	≥15000/green	
1174638/2016	3204120057	#Colourant C.I. Acid Brown 282 (CAS RN 70236-60-1 or 12219-65-7) and preparations based thereon with a colourant C.I. Acid Brown 282 content of 75 % or more by weight#	≥15000/green	
1179215/2016	3204120065	#Colourant C.I. Acid Brown 432 (CAS RN 119509-50-1) and preparations based thereon with a colourant C.I. Acid Brown 432 content of 75 % or more by weight#	≥15000/green	
807/06	3204130010	#Colourant C.I. Basic Red 1 (CAS RN 989-38-8) and preparations based thereon with a colourant C.I. Basic Red 1 content of 50 % or more by weight#	UK susp._deletion or EU27 producer	BE, DE
1179262/2016	3204140040	#Colourant C.I. Direct Black 168, in powder form for leather dyeing (CAS RN 85631-88-5) and preparations based thereon with a colourant C.I. Direct Black 168 content by weight of 75 % or more, in powder form for leather dyeing#	<15000/red	
991704/2011	3204170015	#Colourant C.I. Pigment Green 7 (CAS RN 1328-53-6) and preparations based thereon with a colourant C.I. Pigment Green 7 content of 40 % or more by weight#	UK susp._deletion or EU27 producer	BE, DE, DK, ES, GR, IT, NL, PL, PT
1338994/2016	3204170018	#Colourant C.I. Pigment Orange 16 (CAS RN 6505-28-8) and preparations based thereon with a colourant C.I. Pigment Orange 16 content of 90 % or more by weight#	UK susp._deletion or EU27 producer	DE
1013616/2011, 987080/2011	3204170020	#Colourant C.I. Pigment Blue 15:3 (CAS RN 147-14-8) and preparations based thereon with a colourant C.I. Pigment Blue 15:3 content of 35 % or more by weight#	≥15000/green	
265499/2011, 5582590/2016	3204170022	#Colourant C.I. Pigment Red 169 (CAS RN 12237-63-7) and preparations based thereon with a colourant C.I. Pigment Red 169 content of 50 % or more by weight#	≥15000/green	
991729/2011	3204170025	#Colourant C.I. Pigment Yellow 14 (CAS RN 5468-75-7) and preparations based thereon with a colourant C.I. Pigment Yellow 14 content of 25 % or more by weight#	UK susp._deletion or EU27 producer	DK, ES, IT, NL, SE
991732/2011	3204170035	#Colourant C.I. Pigment Red 202 (CAS RN 3089-17-6) and preparations based thereon with a colourant C.I. Pigment Red 202 content of 70 % or more by weight#	UK susp._deletion or EU27 producer	DE
330636/2011	3204170065	#Colourant C.I. Pigment Red 53 (CAS RN 2092-56-0) and preparations based thereon with a colourant C.I. Pigment Red 53 content of 50 % or more by weight#	<15000/red	
1179308/2016	3204190013	#Colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 content of 75 % or more by weight#	≥15000/green	
635551/2010	3204190073	#Colourant C.I. Solvent Blue 104 (CAS RN 116-75-6) and preparations based thereon with a colourant C.I. Solvent Blue 104 content of 97 % or more by weight#	UK susp._deletion or EU27 producer	BE, DE, IT
303586/2011	3204190077	#Colourant C.I. Solvent Yellow 98 (CAS RN 27870-92-4 or CAS RN 12671-74-8) and preparations based thereon with a colourant C.I. Solvent Yellow 98 content of 95 % or more by weight#	UK susp._deletion or EU27 producer	DE
1010644/2011	3204200030	#Colourant C.I. Fluorescent Brightener 351 (CAS RN 27344-41-8) and preparations based thereon with a colourant C.I. Fluorescent Brightener 351 content of 90 % or more by weight#	UK susp._deletion or EU27 producer	ES, IT, NL, PL
1013641/2011	3206190010	#Preparation containing by weight:### # 72 % (± 2 %) of mica (CAS RN 12001-26-2) and # 28 % (± 2 %) of titanium dioxide (CAS RN 13463-67-7) #	UK susp._deletion or EU27 producer	DE, IT, NL
1243090/2016	3208901947	#Solution containing by weight:### # 0.1 % or more but not more than 20 % of alkoxygroups containing siloxane polymer with alkyl or aryl substituents # 75 % or more of an organic solvent containing one or more of propyleneglycolethylether (CAS RN 1569-02-4), propylene glycol mono methylether acetate (CAS RN 108-65-6) or propyleneglycol propylether (CAS RN 1569-01-3) #	≥15000/green	
1254133/2015	3208901955	#Preparation of 5 % or more but not more than 20 % by weight of a copolymer of propylene and maleic anhydride, or a blend of polypropylene and a copolymer of propylene and maleic anhydride, or a blend of polypropylene and a copolymer of propylene, isobutene and maleic anhydride in an organic solvent#	UK susp._deletion or EU27 producer	DE
880/06	3208901960	#Copolymer of hydroxystyrene with one or more of the following:### # styrene # alkoxytyrene # alkylacrylates ### dissolved in ethyl lactate#	≥15000/green	
168821/2010	3402119010	#Sodium lauroyl methyl isethionate#	UK susp._deletion or EU27 producer	BE, DE



1254126/2015	3506919050	#Preparation containing by weight:### # 15 % or more but not more than 60 % of styrene butadiene copolymers or styrene isoprene copolymers and # 10 % or more but not more than 30 % of pinene polymers or pentadiene copolymers # ###dissolved in:### # Methyl ethyl ketone (CAS RN 78-93-3) # Heptane (CAS RN 142-82-5), and # Toluene (CAS RN 108-88-3) or light aliphatic solvent naphtha (CAS RN 64742-89-8) # ### #	UK susp...deletion or EU27 producer	DE
1289924/2016	3507909030	#Salicylate 1-monoxygenase (CAS RN 9059-28-3) in aqueous solution with### # an enzyme concentration of 6,0 U/ml or more, but not more than 7,4 U/ml, # a concentration by weight of sodium azide (CAS RN 26628-22-8) of not more than 0,09 % and # a pH value of 6,5 or more, but not more than 8,5 #	≥15000/green	
164630/2010	3601000010	#Pyrotechnical powder in the form of granulate of cylindrical shape, composed of strontium nitrate or copper nitrate in the solution of nitroguanidine, binder and additives, used as a component of airbag inflators#	≥15000/green	
982571/2011	3801900010	#Expandable graphite (CAS RN 90387-90-9 and CAS RN 12777-87-6)#	≥15000/green	
4565219-1/2017	3802100030	#Chemically activated carbon in pellet (cylindrical) form, with:### # a diameter of 2 mm or more but not more than 3 mm, and a Butane Working Capacity of 5 g butane/100ml or more (as determined by the ASTM D 5228 method) #used for vapour absorption and desorption in emission control canisters of motor vehicles#	<15000/red	
246373/2011	3808932740	#Preparation, consisting of a suspension of tetraloxydim (ISO), containing by weight:### # 30 % or more of tetraloxydim (ISO) and # not more than 70 % of a petroleum fraction consisting of aromatic hydrocarbons #	<15000/red	
630977/2010	3808939050	#Preparation in the form of powder, containing by weight:### # 55 % or more of Gibberellin A4, # 1 % or more but not more than 35 % of Gibberellin A7, # 90 % or more of Gibberellin A4 and Gibberellin A7 combined # not more than 10 % of a combination of water and other naturally occurring Gibberellins # ###of a kind used in plant growth regulators#	UK susp...deletion or EU27 producer	DE
5573295/2016	3811210011	#Dispersing agent and oxidation inhibitor containing:### # o-amino polyisobutylenepheno (CAS RN 78330-13-9), # more than 30 % by weight but not more than 50 % by weight of mineral oils, # ###used in the manufacture of blends of additives for lubricating oils#	<15000/red	
5573326/2016	3811290075	#Oxidation inhibitor mainly containing a mixture of isomers of 1-(tert-dodecylthio)propan-2-ol (CAS RN 67124-09-8), used in the manufacture of blends of additives for lubricating oils#	<15000/red	
5572943/2016	3811900050	#Corrosion inhibitor containing:### # polyisobutyl succinic acid and # more than 5 % and not more than 20 % by weight of mineral oils # ###for use in the manufacture of blends of additives for fuels#	≥15000/green	
272668/2011	3812100010	#Rubber accelerator based on diphenyl guanidine granules (CAS RN 102-06-7)#	≥15000/green	
968627/2011	3812399055	#UV-stabilizer, containing:### # 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(octyloxy)phenol (CAS RN 2725-22-6) and # either N,N'-bis(1,2,2,6,6-pentamethyl-4-piperidinyl)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 193098-40-7) or # N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 82451-48-7) #	≥15000/green	
963132/2011	3812399065	#Stabiliser for plastic material containing:### # 2-ethylhexyl 10-ethyl-4,4-dimethyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-35-4), # 2-ethylhexyl 10-ethyl-4-[[2-ethylhexyl]oxy]-2-oxoethylthio]-4-methyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-34-3), and # 2-ethylhexyl mercaptoacetate (CAS RN 7659-86-1) #	≥15000/green	
1013685/2011	3812399070	#Light stabiliser containing:### # branched and linear alkyl esters of 3-(2H-benzotriazolyl)-5-(1,1-dimethylethyl)-4-hydroxybenzenepropanoic acid (CAS RN 127519-17-9), and # 1-methoxy-2-propyl acetate (CAS RN 108-65-6) #	UK susp...deletion or EU27 producer	BE, DE, IT, NL
418/2/1981, 968510/2011	3815199010	#Catalysts consisting of chromium trioxide, dichromium trioxide or organometallic compounds of chromium, fixed on a silicon dioxide support with a pore volume of 2 cm <sup>3</sup> /g or more (as determined by the nitrogen absorption method)#	≥15000/green	
1336293/2016	3815199013	#Catalyst consisting of:### # chromium trioxide (CAS RN 1333-82-0), # dichromium trioxide (CAS RN 1308-38-9), # ###on a support of aluminium oxide (CAS RN 1344-28-1)### #	<15000/red	
3112/9/04	3815909089	#Rhodococcus rhodocrous J1 bacteria, containing enzymes, suspended in a polyacrylamide gel or in water, for use as a catalyst in the production of acrylamide by the hydration of acrylonitrile#	≥15000/green	
968549/2011	3817008030	#Mixed alkylnaphthalenes, modified with aliphatic chains, of a chain-length varying from 12 to 56 carbon atoms#	≥15000/green	
5501295/2016	3824999227	#4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzotrile (CAS RN 675126-28-0) in an organic solvent#	<15000/red	
5582909/2016, 5651724/2016	3824999230	#Aqueous solution of caesium formate and potassium formate containing by weight:### # 1 % or more but not more than 84 % of caesium formate (CAS RN 3495-36-1), # 1 % or more but not more than 76 % of potassium formate (CAS RN 590-24-1), and # whether or not containing not more than 9 % of additives #	<15000/red	
836/06	3824999236	#Calcium phosphonate phenate, dissolved in mineral oil#	<15000/red	
1231/2008	3824999254	#Poly(tetramethylene glycol) bis[[9-oxo-9H-thioxanthen-1-yloxy]acetate] with an average polymer chain length of less than 5 monomer units (CAS RN #####813452-37-8) #	UK susp...deletion or EU27 producer	NL
295953/2011	3824999264	#Preparation containing by weight:### # 89 % or more but not more than 98,9 % of 1,2,3-trideoxy-4,6,5,7-bis-O-[[4-propylphenyl]methylene]-nonitol # 0,1 % or more but not more than 1 % of colourants # 1 % or more but not more than 10 % of fluoropolymers #	<15000/red	
1102055/2015	3824999269	#Preparation containing by weight:### # 80 % or more but not more than 92 % of Bisphenol-A bis(diphenyl phosphate) (CAS RN 5945-33-5) # 7 % or more but not more than 20 % oligomers of Bisphenol-A bis(diphenyl phosphate) and # not more than 1 % triphenyl phosphate (CAS RN 115-86-6) #	UK susp...deletion or EU27 producer	BE, ES, HU
5505061/2016	3824999345	#Sodium hydrogen 3-aminonaphthalene-1,5-disulphonate (CAS RN 4681-22-5) containing by weight:### # not more than 20 % of disodium sulphate, and # not more than 10 % of sodium chloride #	≥15000/green	
1336307/2016	3824999350	#Preparation, consisting of acesulfame potassium (CAS RN 55589-62-3) and potassium hydroxide (CAS RN 1310-58-3)### #	<15000/red	
1249613/2016	3824999355	#Mixture containing by weight:### # 70 % or more, but not more than 90 % of (S)-indoline-2-carboxylic acid (CAS RN 79815-20-6) and # 10 % or more, but not more than 30 % of o-chlorocinnamic acid (CAS RN 3752-25-8) # ### #	<15000/red	
255889/2011	3824999660	#Fused magnesia containing by weight 15 % or more of dichromium trioxide#	≥15000/green	
5582854/2016	3824999670	#Powder containing by weight:### # 28 % or more but not more than 51 % of talc (CAS RN 14807-96-6) # 30,5 % or more but not more than 48 % of silicon dioxide (quartz) (CAS RN 14808-60-7) # 17 % or more but not more than 26 % of aluminium oxide (CAS RN 1344-28-1) #	<15000/red	
1268378/2016	3824999674	#Mixture with a non-stoichiometric composition:### # with a crystalline structure, # with a content of fused magnesia-alumina spinel and with admixtures of silicate phases and aluminates, at least 75 % by weight of which consists of fractions with a grain size of 1-3 mm and at most 25 % consists of fractions with a grain size of 0-1 mm #	≥15000/green	
5501338/2016	3824999680	#Mixture consisting of:### # 64 % or more, but not more than 74 % by weight of amorphous silica (CAS RN 7631-86-9) # 25 % or more, but not more than 35 % by weight of butanone (CAS RN 78-93-3) and # not more than 1 % by weight of 3-(2,3-epoxypropoxy)propyltrimethoxysilane (CAS RN 2530-83-8) #	≥15000/green	
265520/2011	3901109030	#Polyethylene granules, containing by weight 10 % or more but not more than 25 % of copper#	≥15000/green	
1249670/2016	3901908073	#Mixture containing by weight:### # 80 % or more, but not more than 94 % of chlorinated polyethylene (CAS RN 64754-90-1) and # 6 % or more, but not more than 20 % of styrene-acrylic copolymer (CAS RN 27136-15-8) # ### #	≥15000/green	
265549/2011	3902300095	#A-B-A block copolymer, consisting of:### # a copolymer of propylene and ethylene and # 21 % (± 3 %) by weight of polystyrene #	≥15000/green	
246889/2011	3902300097	#Liquid ethylene-propylene-copolymer with:### # a flashpoint of 250 °C or more, # a viscosity index of 150 or more, # of a number average molecular weight (M <sub>n</sub> ) of 650 or more #	≥15000/green	

883/06	390290908	#Synthetic poly-alpha-olefin with a viscosity at 100° Celsius (measured according to method ASTM D 445) ranging from 3 centistokes to 9 centistokes and obtained by polymerization of a mixture of dodecene and tetradecene, containing a maximum of 40 % of tetradecene#	≥15000/green	
981/06	3903190040	#Crystalline polystyrene with:### # a melting point of 268 °C or more but not more than 272 °C # a setting point of 232 °C or more but not more than 247 °C, # whether or not containing additives and filling material # ### #	≥15000/green	
331261/2011	3903909020	#Copolymer in the form of granules containing by weight:### # 83 ± 3 % styrene, # 7 ± 2 % n-butyl acrylate, # 9 ± 2 % n-butyl methacrylate and # 0,01 % or more but not more than 1 % of polyolefinic wax #	≥15000/green	
294144/2011	3903909025	#Copolymer in the form of granules containing by weight:### # 82 ± 6 % styrene, # 13,5 ± 3 % n-butyl acrylate, # 1 ± 0,5 % methacrylic acid and # 0,01 % or more but not more than 8,5 % of polyolefinic wax #	<15000/red	
977359/2011	3903909060, 3911909960	#Copolymer of styrene with maleic anhydride, either partially esterified or completely chemically modified, of an average molecular weight (M n ) of not more than 4500, in flake or powder form#	≥15000/green	
5451123/2016	3906909043	#Copolymer of methacrylic esters, butylacrylate and cyclic dimethylsiloxanes (CAS RN 143106-82-5)#	≥15000/green	
5457188/2016	3906909053	#Polyacrylamide powder having an average particle size of less than 2 microns and a melting point of more than 260°C, containing by weight:### # 75 % or more but not more than 85 % of polyacrylamide and # 15 % or more but not more than 25 % of polyethylene glycol #	<15000/red	
1013632/2011	3907201160	#Preparation containing:### # α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-hydroxypoly(oxy-1,2-ethanediy) (CAS RN 104810-48-2) and # α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]poly(oxy-1,2-ethanediy) (CAS RN 104810-47-1) #	UK susp...deletion or EU27 producer	BE, DE, ES, IT, NL
1349038/2016	3907202025	#Copolymer of propylene oxide and butylene oxide, monododecylether, containing by weight:### # 48 % or more but not more than 52 % of propylene oxide and # 48 % or more but not more than 52 % of butylene oxide # ### #	UK susp...deletion or EU27 producer	BE
265569/2011	3907209960	#Polytetramethylene oxide di-p-aminobenzoate#	≥15000/green	
276918/2011	3907690040	#Poly(ethylene terephthalate) pellets or granules:### # with a specific gravity of 1,23 or more but not more than 1,27 at 23° C, and # containing not more than 10 % by weight of other modifiers or additives #	<15000/red	
3939762/2015	3910000015	#Dimethyl, methyl(propyl(polypropylene oxide)) siloxane (CAS RN 68957-00-6), trimethylsiloxy-terminated#	UK susp...deletion or EU27 producer	FR
1295010/2016	3910000025	#Preparations containing by weight:### # 10 % or more, 2-hydroxy-3-[3-[1,3,3-tetramethyl-1-[[trimethylsilyloxy] disiloxanyl] propoxy] propyl-2-methyl-2-propenoate (CAS RN 69861-02-5), and # 10 % or more, α-Butyldimethylsilyl- ω -3-[(2-methyl-1-oxo-2-propen-1-yl)oxy]propyl-terminated silicone polymer (CAS RN 146632-07-7) #	≥15000/green	
1295050/2016	3910000035	#Preparations containing by weight:### # 30 % or more, α-Butyldimethylsilyl- ω -(3-methacryloxy-2-hydroxypropyloxy)propyldimethylsilyl-polydimethylsiloxane (CAS RN 662148-59-6) and # 10 % or more, N,N - Dimethylacrylamide (CAS RN 2680-03-7) #	≥15000/green	
859/06	3910000040	#Silicones of a kind used in the manufacture of long term surgical implants#	≥15000/green	
5651807/2016	3910000045	#Dimethyl siloxane, hydroxy-terminated polymer with a viscosity of 38-100 mPa·s (CAS RN 70131-67-8)#	≥15000/green	
5652366/2016	3910000055	#Preparation containing by weight:### # 55 % or more but not more than 65 % of vinyl terminated polydimethylsiloxane (CAS RN 68083-19-2), # 30 % or more but not more than 40 % of dimethylvinylated and trimethylated silica (CAS RN 68988-89-6), and # 1 % or more but not more than 5 % of silicic acid, sodium salt, reaction products with chlorotrimethylsilane and isopropyl alcohol (CAS RN 68988-56-7) # ### #	UK susp...deletion or EU27 producer	BE
265591/2011	3911901940	#m-Xylene formaldehyde resin#	≥15000/green	
884/06	3911909986	#Copolymer of methyl vinyl ether and maleic acid anhydride (CAS RN 9011-16-9)#	≥15000/green	
167126/2010	3912110030	#Cellulose triacetate (CAS RN 9012-09-3)#	≥15000/green	
303546/2011	3912398540	#Hyromellose (INN) (CAS RN 9004-65-3)#	UK susp...deletion or EU27 producer	Almost all MS
276949/2011	3919108070, 3919908075	#Rolls of polyethylene foil:### # self-adhesive on one side, # of a total thickness of 0,025 mm or more, but not more than 0,09 mm, # of a total width of 60 mm or more, but not more than 1 110 mm, # ###for use in the manufacture of products of Headings 8521 or 8528 for protection purposes#	<15000/red	
293907/2011	3919108075, 3919908080,	#Self-adhesive reflecting film, consisting of several layers including:### # a copolymer of acrylic resin, # polyurethane, # a metallised layer with, on one side, laser imprints against counterfeiting, alteration or substitution of data or duplications, or an official mark for an intended use, # glass microspheres, and # an adhesive layer, with a release liner on one or both sides #	≥15000/green	
246973/2011	3920108930	#Ethylene vinyl acetate (EVA) film with:### # a raised relief surface with embossed undulations, and # a thickness of more than 0,125 mm #	≥15000/green	
3119/13/04, 804/06	3920108940	#Composite sheet containing an acrylic coating and laminated to a high-density polyethylene layer, of a total thickness of 0,8 mm or more but not more than 1,2 mm#	UK susp...deletion or EU27 producer	IT
967272/2011	3920202140	#Sheets of biaxially - oriented polypropylene film:### # with the thickness of not more than 0,1 mm, # printed on both sides with specialised coatings to allow banknote security printing #	<15000/red	
3423/06	3920992850	#Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm, covered on one side with a removable protective film#	≥15000/green	
265624/2011	3920992870	#Sheets on rolls, consisting of epoxy resin, with conducting properties, containing:### # microspheres with a coating of metal, whether or not alloyed with gold, # an adhesive layer, # with a protective layer of silicone or poly(ethylene terephthalate) on one side, # with a protective layer of poly(ethylene terephthalate) on the other side, and # with a width of 5 cm or more but not more than 100 cm # with a length of not more than 2 000 m #	≥15000/green	
5451174/2016	3920995970	#Tetrafluoroethylene film, put up in rolls, with:### # a thickness of 50 µm, # a melting point of 260 °C, and # a specific gravity of 1,75 (ASTM D792) # ###for use in the manufacture of semiconductor devices#	<15000/red	
5457200/2016	3921190050	#Porous membrane of polytetrafluoroethylene (PTFE) laminated to a polyester spunbonded non-woven cloth with:### # a total thickness of more than 0,05 mm but not more than 0,20 mm, # a water entry pressure between 5 and 200 kPa according to ISO 811, and # an air permeability of 0,08 cm <sup>3</sup> /cm <sup>2</sup> /s or more according to ISO 5636-5 #	≥15000/green	
1010631/2011	3923109010	#Photomask or wafer compacts:### # consisting of antistatic materials or blended thermoplastics proving special electrostatic discharge (ESD) and outgassing properties, # having non porous, abrasion resistant or impact resistant surface properties, # fitted with a specially designed retainer system that protects the photomask or wafers from surface or cosmetic damage and # with or without a gasket seal, # ###of a kind used in the photolithography or other semiconductor production to house photomasks or wafers#	UK susp...deletion or EU27 producer	DE, FR
969500/2011	3926909730	#Parts of car radio and car air-conditioner front panels:### # of acrylonitrile-butadiene-styrene with or without polycarbonate, # coated with a copper, a nickel and a chrome layers, # with a total thickness of coating of 5,54 µm or more but not more than 49,6 µm #	≥15000/green	
1336370/2016	3926909740	#Silicone shell for breast implant#	≥15000/green	
5560026/2016	3926909777	#Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 mm, in immediate packings of 2 500 pieces or more, of a kind used in car parking aid sensor systems#	≥15000/green	
1297172/2016	4010310010, 4010330010, 4010390010	#Vulcanized rubber endless transmission belt of trapezoidal cross-section (V-belts) with longitudinal V-ribbed pattern on the inner side for use in the manufacture of goods of Chapter 87#	<15000/red	
5524428/2016	4016995710	#Air intake hose for air supply to the combustion part of the engine comprising at least:### # one flexible rubber hose, # one plastic hose, and # metal clips, # whether or not a resonator # ###for use in the manufacture of goods of Chapter 87#	≥15000/green	



5524327/2016	4016995720	#Rubber bumper strip with a silicone coating of a length not more than 1 200 mm and with at least five plastic clips for use in the manufacture of goods of Chapter 87#	<15000/red	
272718/2011	4016999730	#Tyre moulding bladder#	≥15000/green	
1336266/2016	4412994010, 4412995010, 4412998520	#Laminated wood consisting of two layers of sheets for veneering:### # a width of 210 mm or more but not more than 320 mm, # a length of 297 mm or more but not more than 450 mm, # a thickness of 0,45 mm or more but not more than 0,8 mm, # ###for use in the manufacture of products falling within heading 4420, 4421, 4820, 4909 or 4911#	<15000/red	
1/1/1989	5004001010	#Silk yarn (other than yarn spun from silk waste) not put up for retail sale, unbleached, scoured or bleached, entirely of silk#	≥15000/green	
264348/2011	5603929080, 5603939050	#Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with polyolefin filaments:### # a weight of 25 g/m <sup>2</sup> or more but not more than 150 g/m <sup>2</sup> , # in the piece or simply cut into squares or rectangles, # not impregnated, # with cross-directional or machine-directional stretch properties # ###for use in the manufacture of infant/child care products#	≥15000/green	
1361540/2016	5903209020	#Two layers' plastic-laminated textile fabric with:### # one layer consisting of knitted or crocheted polyester textile fabric, # other layer consisting of polyurethane foam, # a weight of 150 g/m <sup>2</sup> or more, but not more than 500 g/m <sup>2</sup> , # a thickness of 1 mm or more, but not more than 5 mm # ###for use in the manufacture of the retractable roof of motor vehicles#	≥15000/green	
1060/13/1982	5907000010	Textile fabrics, coated with adhesive in which are embedded spheres of a diameter of not more than 150 µm	≥15000/green	
5451151/2016	6805300010	#Probe tips cleaning material consisting of a polymer matrix containing abrasive particles mounted on a substrate for use in the manufacture of semiconductors#	<15000/red	
822/06	7019390050	#Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts#	≥15000/green	
1290020/2016	7019400070, 7019520030	#E-fibre glass fabrics:### # having a weight of 20 g/m <sup>2</sup> or more, but not more than 214 g/m <sup>2</sup> , # impregnated with silane, # in rolls, # having a humidity content by weight of 0,13 % or less, and # having not more than 3 hollow fibres out of 100 000 fibres, # ###for the exclusive use in the manufacture of preregs and copper clad laminates#	≥15000/green	
977954/2011	7020001010, 7616999077	#Television pedestal stands with or without bracket for fixation to and stabilization of television cabinet case/body#	≥15000/green	
831/2006	7201101110	#Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm#	≥15000/green	
830/2006	7201103010	Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm, containing by weight not more than 1 % of silicon	≥15000/green	
5524249/2016	7318190030	#Connecting rod for the master brake cylinder with screw threads on both ends for use in the manufacture of goods of Chapter 87 #	<15000/red	
853/2006	7326200020	#Metal fleece, consisting of a mass of stainless steel wires of diameters of 0,001 mm or more but not more than 0,070 mm, compacted by sintering and rolling#	≥15000/green	
961245/2011	7607119048, 7607119049, 760711904851, 7607119049	#Aluminium foil in rolls:### # having a purity of 99,99 % by weight, # of a thickness of 0,021 mm or more but not more than 0,2 mm, # with a width of 500 mm, # with a surface oxide layer by 3 to 4 nm thick, # and with a cubic texture of more than 95 % #	≥15000/green	
984128/2011	7616999070, 8482800010, 8803300040	#Connecting components for use in the production of helicopter tail rotor shafts#	≥15000/green	
1362566/2016	8108903060	#Forged cylindrical bars of titanium with:### # a purity of 99,995 % by weight or more, # a diameter of 140 mm or more but not more than 200 mm, # a weight of 5 kg or more but not more than 300 kg # ### # ### #	≥15000/green	
982694/2011	8108903070	#Wire of an titanium alloy containing by weight:### # 22 % (± 1 %) of vanadium, and # 4 % (± 0,5 %) of aluminium # ###or### # 15 % (± 1 %) of vanadium, # 3 % (± 0,5 %) of chromium, # 3 % (± 0,5 %) of tin and # 3 % (± 0,5 %) of aluminium #	≥15000/green	
982750/2011	8108905055	#Plates, sheets, strip and foil of an alloy of titanium#	≥15000/green	
982936/2011	8108909030, 9003900020	#Parts of spectacle frames and mountings, including### # temples, # blanks of a kind used for the manufacture of spectacle parts and # bolts of the kind used for spectacle frames and mountings, # ###of a titanium alloy#	≥15000/green	
949/2006	8407901010	#Four-stroke petrol engines of a cylinder capacity of not more than 250 cm <sup>3</sup> for use in the manufacture of garden equipment of heading 8432, 8433, 8436 or 8508#	≥15000/green	
1302002/2016	8409910040	#Fuel injector with solenoid valve for optimized atomization in the combustion chamber for use in the manufacture of spark-ignition internal combustion piston engines of motor vehicles#	≥15000/green	
248701/2011	8409990010, 8479907085	#Injectors with solenoid valve for optimised atomisation in the engine combustion chamber#	≥15000/green	
5506673/2016	8409990040	#Plastic or aluminium cylinder head cover with:### # a camshaft position sensor (CMP), # metal brackets for mounting on an engine, and # two or more gaskets, # ###for use in the manufacture of engines of motor vehicles#	<15000/red	
1378927/2017	8409990070	#Metal alloy intake and exhaust valve with a Rockwell hardness HRC 20 or more, but not more than HRC 50 for use in the manufacture of compression ignition engines of motor vehicles#####	<15000/red	
371591/2013	8411990030	#Turbine housing of turbochargers with:### # a heat-resistance of not more than 1 050 °C, and # a hole to insert a turbine wheel, whereby the hole has a diameter of 28 mm or more, but not more than 181 mm #	≥15000/green	
5506724/2016	8413302030	#Single-cylinder radial-piston high pressure pump for gasoline direct injection with:### # an operating pressure of 200 bar or more, but not more than 350 bar, # a flow control, and # a pressure relief valve, # ###for use in the manufacture of engines of motor vehicles#	≥15000/green	
902/2006	8418991070	#Evaporator made of aluminium for use in the manufacture of air conditioning machines for automobiles#	<15000/red	
1297221/2016	8424897020	#Mechanical passenger car headlights washer with telescopic hose, high pressure nozzles and mounting clamps for use in the manufacture of goods of Chapter 87#### #	<15000/red	
527496/2014	8479899760	#Bioreactor for biopharmaceutical cell culture### # having interior surfaces of austenitic stainless steel, and # with a process capacity up to 15 000 litres, # whether or not combined with a "clean-in-process" system and/or a dedicated paired media hold vessel #	≥15000/green	
5506241/2016	8479907087	#Fuel hose for internal combustion piston engines with a fuel temperature sensor, with at least two inlet hoses and three outlet hoses for use in the manufacture of engines of motor vehicles#	<15000/red	
5505106/2016	8481805920	#Pressure regulating valve for incorporation into compressors of motor vehicle air condition units#	≥15000/green	
248671/2011	8483402950	#Gear set of cycloid gear type with:### # a rated torque of 50 Nm or more but not more than 9 000 Nm, # standard ratios of 1:50 or more but not more than 1:475, # lost motion of not more than one arc minute, # an efficiency of more than 80 % # ###of a kind used in robot arms#	≥15000/green	
5505154/2016	8484200010	#Mechanical shaft seal for incorporation into rotary compressors for use in the manufacture of motor vehicle air condition units#	≥15000/green	
5560070/2016	8501109956	#DC Motor :### # with a speed rotation of not more than 7000 rpm (without load), # with a nominal voltage of 12 V (± 4 V), # with a maximum power of 13,78 W (at 3,09 A), # with a specified temperature range from -40°C to 160°C, # with a gear connection, # with a mechanical attachment interface, # with 2 electrical connections, # with a maximum torque of 100 Nm #	≥15000/green	
5560106/2016	8501109958	#DC Motor :### # with a speed rotation of not more than 6500 rpm (without load), # with a nominal voltage of 12 V (± 4 V), # with a maximal power below than 20 W, # with a specified temperature range from -40°C to 160°C, # with a worm gear drive, # with a mechanical attachment interface, # with 2 electrical connections, # with a maximum torque of 75 Nm #	≥15000/green	

3869531/2015	8501109964	#DC motor to control angular position of the flap to adjust gas flow in the Air Throttle and EGR valve:### # with Ingress Protection (IP) standard of IP69, # with a rotor speed of not more than 6 500 rpm when not loaded, # with a rated voltage of 12,0 V (+/- 0,1), # of a specified temperature range of - 40 °C or more, but not more than + 165 °C, # with or without a connecting pinion, # with or without an engine connector, # with or without a flange, # with a diameter of not more than 40 mm (not including the flange), # with an overall height of not more than 90 mm (from the base to the pinion) #	≥15000/green	
998/2006	8501310030	DC motor, brushless, with a three-phase winding, an external diameter of 85 mm or more, but not more than 115 mm, a nominal torque of 2,23 Nm (± 1,0 Nm), of an output of more than 120 W but not more than 520 W, calculated with 1 550 rpm (± 350 rpm) at a supply voltage of 12 V equipped with electronic circuit with sensors using the Hall effect, for use with an electric power steering control module (power steering motor)	<15000/red	
1268149/2016	8501310075	#Brushless DC motor assembly comprised of a motor and transmission, with:### # electronic control operating by Hall Effect position sensors, # voltage input 9V or more but not more than 16V, # external diameter of the motor 70 mm or more but not more than 80 mm, # output motor power 350 W or more but not more than 550W, # maximum output torque 50 Nm or more but not more than 52 Nm, # maximum output rotation speed 280 rpm or more but not more than 300 rpm, # coaxial male spline outputs of outer diameter 20 mm (±1 mm), 17 teeth and minimum length of teeth 25 mm (± 1 mm), and # with distance between root of splines 119 mm (± 1 mm) # ###for use in the manufacture of all-terrain or utility task vehicles#	<15000/red	
160472/2010	8501330030, 8501408050, 8501535010	#Electric drive for motor vehicles, with an output of not more than 315 kW:### # with an AC or DC motor with or without transmission, # with or without power electronics #	≥15000/green	
248681/2011	8501510030, 8501522050	#AC synchronous servo motor with resolver and brake for a maximum speed of not more than 6 000 rpm, with:### # an output of 340 W or more but not more than 7,4 kW, # a flange of dimensions of not more than 180 mm × 180 mm, and # a length from flange to extreme end of resolver of not more than 271 mm #	≥15000/green	
1219/2009	8503009933	#Stator for brushless motor of electrical power steering with a roundness tolerance of 50 µm#	≥15000/green	
1249730/2016	8504318050	#Transformers for use in the manufacture of electronic drivers, control devices and LED light sources for lighting industry#	≥15000/green	
1301940/2016	8505110047	#Articles in the form of a triangle, square or rectangle, whether or not arched or with rounded corners, intended to become permanent magnets after magnetisation, containing neodymium, iron and boron, with the following dimensions:### # a length of 9 mm or more but not more than 105 mm, # a width of 5 mm or more but not more than 105 mm, and # a height of 2 mm or more but not more than 55 mm #	≥15000/green	
3869578/2015	8506501010	#Lithium cylindrical primary cells with:### # a diameter of 14,0 mm or more but not more than 26,0 mm, # a length of 2,2 mm or more but not more than 51 mm, # a voltage of 1,5 V or more, but not more than 3,6 V, # a capacity of 0,15 Ah or more, but not more than 5,00 Ah # ###for use in the manufacture of telemetry and medical devices, electronic meters or remote controls#	<15000/red	
328918/2011	8507908070	#Cut plate of nickel-plated copper foil, with:### # a width of 70 mm (± 5 mm), # a thickness of 0,4 mm (± 0,2 mm), # a length of not more than 55 mm, # ###for use in the manufacture of lithium-ion electric rechargeable batteries#	<15000/red	
1302174/2016	8511300055	#Ignition coil:### # with a length of 50 mm or more, but not more than 200 mm, # with an operating temperature of - 40 °C or more, but not more than 140 °C, and # with a voltage of 9 V or more, but not more than 16 V, # with or without connection cable, # ###for use in the manufacture of engines of motor vehicles#	≥15000/green	
1302069/2016	8511800020	#Glow-plug for pre-heating of the diesel engines with:### # an operating temperature of more than 800 °C, # a voltage of 5 V or more, but not more than 16 V, # a heating rod containing silicon nitride (Si 3 N 4) and molybdenum disilicide (MoSi 2 ), and # a metal housing # ###for use in the manufacture of diesel engines of motor vehicles#	<15000/red	
917/2006	8529906550	#Tuner transforming high-frequency signals into mid-frequency signals, for use in the manufacture of products falling under heading 8528#	≥15000/green	
277185/2011	8529909257	#Metal holder, metal fixing item or internal stiffener of metal, for use in the manufacture of televisions, monitors and video players#	≥15000/green	
1289887/2016	8536411020	#Photoelectric (so called photovoltaic) relay consisting of a GaAlAs light-emitting diode, a galvanically isolated input circuit with a photovoltaic generator and a power MOSFET output switch in a casing with connections for a voltage of 60 volts or less and a current of 2 amps or less#	≥15000/green	
1289909/2016	8536419050	#Photoelectric (so called photovoltaic) relay consisting of a GaAlAs light-emitting diode, a galvanically isolated input circuit with one or two photovoltaic generators and two power MOSFET output switches in a casing with connections for a maximum voltage of 60 volts and a minimum current of 2 amps#	<15000/red	
1289954/2016	8536490040	#Photoelectric (so called photovoltaic) relay consisting of two GaAlAs light-emitting diodes, two galvanically isolated input circuits with photovoltaic generator(s) and four power MOSFET output switches in a casing with connections for a voltage of more than 60 volts#	≥15000/green	
277218/2011	8536699085	#Socket or plug, built into a plastic or metal housing, with no more than 96 pins, for use in the manufacture of products falling within headings 8521 or 8528#	≥15000/green	
277218/2011	8536699086	#High-Definition Multimedia Interface (HDMI) type socket or plug, built into a plastic or metal housing, with 19 pins or 20 pins in 2 rows, for use in the manufacture of products falling within headings 8521 or 8528#	≥15000/green	
297145/2011	8536700010	#Optical socket, plug or connector, for use in the manufacture of goods falling within headings 8521 or 8528#	≥15000/green	
5559923/2016	8537109865	#Lever for control module under the steering wheel:### # with one or more single or multi-positional electrical switches (push-button, rotary or other), # whether or not equipped with printed circuit boards and electrical cables, # for a voltage of 9 V or more but not more than 16 V, # ###of a kind used in the manufacture of motor vehicles of Chapter 87#	≥15000/green	
5524483/2016	8537109875	#Control unit for keyless access to vehicle and vehicle starting, with electrical switching apparatus, in a plastic housing, for a voltage of 12 V, whether or not with:### # an antenna, # a connector, # a metal holder, # ###for use in the manufacture of goods of Chapter 87#	<15000/red	
5559994/2016	8538909960	#Front control panel, in the form of a plastic box, with light guides, rotary switches, pressure switches and buttons switches, or other type of switches, without any electrical component, of a kind used in the dashboard of motor vehicles of Chapter 87#	≥15000/green	
603/1/1987	8540208091	#Photomultiplier#	≥15000/green	
5451360/2016	8543709015	#Laminated electrochromic film consisting of:### # two outer layers of polyester, # a middle layer of acrylic polymer and silicone, and # two electric connection terminals # ### # # #	≥15000/green	
1290007/2016	8543709033	#High-frequency amplifier comprising one or more integrated circuits and one or more discrete capacitor chips, whether or not with IPD (integrated passive devices) on a metal flange in a housing#	≥15000/green	
1289982/2016	8543709034	#Gallium nitride (GaN) high-frequency amplifier consisting of one or more discrete transistors, one or more discrete capacitor chips, whether or not with IPD (integrated passive devices) on a metal flange in a housing#	<15000/red	
1233197/2015	8544200030	#Antenna connecting cable for the transmission of radio (AM/FM) signal and whether or not GPS signal, containing:### # a coaxial cable, # two or more connectors, and # 3 or more plastic clips for attachment to the dashboard # ###of a kind used in the manufacture of goods of Chapter 87#	≥15000/green	
1268178/2016	8544300035	#Wire harness:### # with an operation voltage of 12V, # wrapped in tape or covered in plastic convoluted tubing, # with 16 or more strands, with all terminals to be tin plated or equipped with connectors, # ###for use in the manufacture of all-terrain or utility task vehicles#	<15000/red	

5524595/2016	8544429080	#12-wire connecting cable containing two connectors### # of a voltage of 5 V, # with a length of not more than 300 mm # ###for use in the manufacture of goods of Chapter 87 #	<15000/red	
631139/2010	8545909040	#Corrosion resistant, layered technical fibre substrate of a gas diffuser layer with:### # controlled fibre length, flex strength, porosity, thermal conductance, electrical resistance, # a thickness of less than 600 µm, # a weight of less than 500 g/m 2 #	<15000/red	
3117/10/2004	8548909048	#Optical unit, containing at least### # a laser diode and a photodiode operating at a typical wavelength of 635 nm or more but not more than 815 nm # an optical lens # a "Recording Photodetector Integrated Circuit" (PDIC) # a focussing and tracking actuator # ### #	≥15000/green	
5524180/2016	8708101010, 8708109010	#Plastic cover for filling the space between the fog lights and the bumper whether or not with a chrome strip for use in the manufacture of goods of Chapter 87#	≥15000/green	
634869/2010	8708301050, 8708309110	#Drum type parking brake:### # operating within the service brake disk, # with a diameter of 170 mm or more but not more than 195 mm # ###for use in the manufacture of motor vehicles#	<15000/red	
1272648/2016	8708402040, 8708405030	#Gear box assembly with one or two inputs and at least three outputs in cast aluminium housing with overall dimensions (excluding the shafts) of not more than 455 mm (width) x 462 mm (height), 680 mm length, equipped with at least:### # one exterior-splined output shaft, # a rotary switch to indicate gear position, # the potential for a differential # ###for use in the manufacture of all-terrain or utility task vehicles#	<15000/red	
1272733/2016	8708502040, 8708509930, 8708991070, 8708	#Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least:### # two electro-magnetic one direction clutches in one cage, working in both directions, # an input shaft with outer diameter of 24 mm (± 1 mm), ended with spline of 22, # a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than 28 teeth # ###for use in the manufacture of all-terrain or utility task vehicles#	<15000/red	
5524137/2016	8708809910	#Stabilizer bar for front axle equipped with a ball pivot on both ends for use in the manufacture of goods of Chapter 87#	<15000/red	
1268272/2016	8708931010, 8708939010	#Mechanically operated clutch for use with an elastomeric belt in a dry environment in a CVT (Continuously Variable Transmission) gear case:### # designed to be bolted onto a splined shaft of outer diameter 23 mm, # with an overall diameter of not more than 266 mm (± 1 mm), # comprised of 2 sheaves with tapered faces, # sheaves having taper of 13 degrees each, # having a main compression spring used to resist displacement between sheaves, and # comprised of a cam or spring to maintain proper belt tension # ###for use in the manufacture of all-terrain vehicles or utility task vehicles#	<15000/red	
1268238/2016	8708931030, 8708939030	#Mechanically operated centrifugal clutch for use with an elastomeric belt in a dry environment in a continuously variable transmission (CVT), equipped with:### # elements that activate the clutch at given rotation and generate (in this way) centrifugal force, # shaft ended with 5 or more but not more than 6 degree taper, # 3 weights, and # 1 compression spring # ###for use in the manufacture of all-terrain or utility task vehicles#	<15000/red	
1268308/2016	8708991010, 8708999760	#Six-layer composite fuel tank assembly comprising of:### # a fuel inlet, # a pump flange assembly (PFA), # a ventilation with rollover valve mounted on the top of the tank, and # threaded holes for PFA assembly, # ###for use in the manufacture of all-terrain or utility task vehicles#	<15000/red	
5524287/2016	8708991035, 8708999735	#Holder of front radiator or intercooler whether or not with rubber cushioning for use in the manufacture of goods of Chapter 87#	<15000/red	
5524655/2016	8708991040, 8708999725	#Support bracket of iron or steel, with mounting holes, whether or not with fixation nuts, for connecting the gearbox to the car body for use in the manufacture of goods of Chapter 87#	<15000/red	
1264754/2016	8714109050	#Suspension damper tubes### # of 7050-t73 aluminium alloy, # anodised on the inner surface, # with a mean roughness (Ra) of the inner surface of not more than 0,4 and # a maximum roughness height (Rt) of the inner surface of not more than 4,0 #	<15000/red	
1013674/2011	9001109030	#Polymer optical fibre with:### # a poly(methyl methacrylate) core, # a cladding of fluorinated polymer, # a diameter of not more than 3,0 mm, and # a length of more than 150 m, # ###of a kind used in the manufacture of polymer fibre cables#	UK susp_ deletion or EU27 producer	BE, DE, FR, NL
1349100/2016	9001109040, 9001900018	#Fibre optic plates:### # uncoated and unpainted, # of a length of 30mm or more, but not more than 234.5mm, # of a width of 7mm or more, but not more than 28mm, and # of a height of 0.5mm or more, but not more than 3mm # ###of a kind used in dental x-ray systems##### #	<15000/red	
824923/2014	9001508030	#Round organic uncut, semi-finished eyeglass lens with corrective effect, finished on one side, of a kind used for the manufacture of finished eyeglass lenses#	≥15000/green	
1452940/2016	9002110025	#Infrared optical unit composed of### # a monocrystalline silicon lens with a diameter of 84 mm (± 0,1 mm) and # a monocrystalline germanium lens with a diameter of 62 mm (± 0,05 mm) # ###assembled on a machined aluminium alloy support, of a kind used for thermal imaging cameras##### #	<15000/red	
1453621/2016	9002110035	#Infrared optical unit composed of### # a silicon lens with a diameter of 29 mm (± 0,05 mm) and # a monocrystalline calcium fluoride lens with a diameter of 26 mm (± 0,05 mm), # ###assembled on a machined aluminium alloy support, of a kind used for thermal imaging cameras##### #	<15000/red	
1453077/2016	9002110045	#Infrared optical unit ### # with lenses of silicon, germanium or chalcogenide glass of a diameter not more than 62 mm (± 0,05 mm), # whether or not mounted on a machined aluminium alloy support # ###of a kind used for thermal cameras or IP network cameras#	≥15000/green	
1453232/2016	9002110055	#Infrared optical unit composed of### # a germanium lens with a diameter of 11 mm (± 0,05 mm), # a monocrystalline calcium fluoride lens with a diameter of 14 mm (± 0,05 mm), and # a silicon lens with a diameter of 17 mm (± 0,05 mm), # ###assembled on a machined aluminium alloy support, of a kind used for thermal imaging cameras##### #	<15000/red	
1453419/2016	9002110065	#Infrared optical unit### # with a silicon lens with a diameter of 26 mm (± 0,1 mm), # mounted on a machined aluminium alloy support, # ###of a kind used for thermal imaging cameras#	<15000/red	
1453564/2016	9002110075	#Infrared optical unit composed of### # a germanium lens with a diameter of 19 mm (± 0,05 mm), # a monocrystalline calcium fluoride lens with a diameter of 18 mm (± 0,05 mm), # a germanium lens with a diameter of 20,6 mm (± 0,05 mm), # ###assembled on a machined aluminium alloy support, of a kind used for thermal imaging cameras##### #	<15000/red	
1264795/2016	9032890050	#Gas panel for regulating and controlling of the gas flow rate, working with plasma technology, comprising### # an electronic mass flow regulator, suitable for receiving and sending of analogue and digital signals # four pressure transducers, # two or more pressure valves, # electric interfaces and # several connectors for gas lines # suitable for in-situ plasma bonding processes or for multi frequency bond activating processes # ### #	≥15000/green	

### Disclaimer

*This report was created using Surveillance data. However, Surveillance data are created on the basis of declarations that may be modified, corrected or deleted. Therefore, we cannot guarantee that information provided is free of errors or that it will not be amended. The European Commission accepts no responsibility with regard to such problems incurred as a result of using these data.*